








Venetian Blind Installation & Care Instructions

INSTALLATION INSTRUCTIONS

STANDARD 25mm VENETIAN BLINDS

<p>Unpack and identify the loose fittings that are packed with each blind. The number of brackets supplied will vary depending on the size of the blind.</p> <p>Before installing the blind, clip the tilt-wand onto the tilter at the top of the blind alongside the cordlock.</p>	<div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>UNIVERSAL BRACKETS</p>  </div> <div style="text-align: center;"> <p>TILT-WAND</p>  </div> <div style="text-align: center;"> <p>HOLD DOWN BRACKETS</p>  </div> </div>
<p>Universal brackets should be face fixed with two screws or top fixed with one screw.</p> <p>Brackets should be fitted near each end of the blind, and at approx 1-metre intervals between.</p>	
<p>After fixing the brackets, offer the headrail up to the brackets and hook the front lip of the headrail over the front of the brackets. Then rotate the rear of the headrail upwards & push it back until it is able to lock into place (a second person may be needed to help with larger blinds).</p> <p>Finally, check that all brackets are secure, and then check the operation of the blind.</p>	
<p>Dismounting the blind:</p> <ul style="list-style-type: none"> Press the headrail in the direction of the arrow (1). Lower the rear of the headrail a little (2). Pull the headrail towards you and away from the brackets in the direction of arrow (3). 	
<p>PLEASE NOTE:</p> <ul style="list-style-type: none"> Double-check your measurements before fitting the brackets and make sure that the brackets are fitted in line with each other and level. Never place the brackets over laddertape bearings, cord locks or other components in the headrail. If required, fix the hold down brackets to the window sill. 	

OPERATION, CARE & MAINTENANCE

VENETIAN BLINDS

Modern venetian blinds are made of high-grade materials to exacting specifications, and as long as they are installed, operated and maintained properly as per the instructions listed below, they should provide many years of satisfactory service. If requested at the time of installation, the installer can demonstrate the correct use of the blinds, and indicate how best to remove them for cleaning.

OPERATION:

Before raising a venetian blind, ensure that the slats are tilted fully open and, where fitted, bottom rail retaining clips are released. When opening a window behind a blind, always raise the blind first - do not push hands through the slats, as this is likely to damage the blind. When closing a venetian blind, tilt the slats in both directions first, then leave them with their top surfaces facing outwards (this lines the slats up, and ensures the best possible closure).

CLEANING (Aluminium & Creation Blinds):

Keeping your aluminium or synthetic Creation venetian blinds clean is as easy as using a feather duster once a week. When it's time for spring-cleaning, the blinds can be removed from their brackets and washed with a mild detergent and warm water mix, then rinsed and let dry off. If using a clothesline to hang the blinds on for cleaning, don't do so on a windy day, and also don't allow the blinds to fully dry in direct sunshine (which will cause water spotting). Be extra careful with larger blinds...two people may be required to safely handle them.

CLEANING (Wood Blinds):

Warning - do not use water to clean wooden blinds. This may cause the slats to warp and/or discolour.

Use a feather duster once a week, and for Spring-cleaning, wipe the slats with a slightly dampened cloth to remove grime build-up. Avoid strenuous rubbing and do not use cleaning chemicals.

Commercial blind cleaning services are also available in most areas.

MAINTENANCE:

In the unlikely event that your blind requires maintenance, contact your retailer for assistance. Spare parts are readily available, and most repairs can be carried out with very little inconvenience to the customer.